

BENCHMARK

BENCHMARK # "AZT 5" M.C.S.D.

BENCHMARK # "AZT 5" M.C.S.D.

ELEVATION = 2659.468ift (NCVD '29)

CONVERSION = 2652.014ift (NAVD '88) - 2.546 = 2659.468ift (NCVD '29)

DESCRIPTION: 1 1/2" ALUMINUM CAP IN CONCRETE STAMP MOHAVE COUNTY

1999 "RLS 10343", LOCATED AT THE SOUTHWEST CORNER OF AZTEC ROAD &

BOLSA DRIVE. NORTH 00"12"47" EAST — THE EAST LINE OF THE SOUTHEAST QUARTER (SE 1/4) OF SECTION 27. TOWNSHIP 21 NORTH, RANGE 18 WEST, GLA & SALT RIVER MERDIAN, MOHAVE COUNTY, ARIZONA, AS DETERMINED BY THE ARIZONA COORDINATE SYSTEM OF 1983 (AZ83—WF), WEST ZONE, INTERNATIONAL FOOT, UTILIZING FAST STATIC OBSERVATIONS PROCESSED BY NGS—OPUS, M.C.S.D. "SD 35" = LATITUDE 35"09"22.43032"N, LONGITUDE 114"10"58.56309"W (NAD '83) HEIGHT 2466.56824IT (NAVD'88)

A DIVISION OF THOSE SECTION 34, GILA AND SALT F

BASIS OF BEARINGS

G-1 0T-1, DT-2 HC-1 TO HC-3 GR-1 TO GR-3 PP-1 TO PP-6 UP-1 TO UP-6 TC-1 TO TC-3 MS-1 TO MS-3

COVER SHEET
GENERAL NOTES AND ABBREVIATIONS
DETAIL SHEET
HORIZONTAL CONTROL
GRADING PLAN
PLAN AND PROFILE
UTILITY PLAN AND PROFILE
TRAFFIC CONTROL SHEET
MISCELLANEOUS DETAILS

1 OF XX 2 OF XX 3 & 4 OF XX 5 TO 8 OF XX 9 TO 11 OF XX 9 TO 25 OF XX 9 TO 27 OF XX 8 TO 30 OF XX

SEWAGE DISPOSAL:
WATER:
ELECTRICITY:
TELEPHONE:
GAS:
SOLID WASTE COLLECT:
SOLID WASTE DISPOSAL:
FIRE PROTECTION:

(TO BE DETERMINED)
(TO BE DETERMINED)
UNISOURCE ENERGY
FRONTIER COMM.
UNISOURCE ENERGY
WASTE MANAGEMENT
MOHAVE COUNTY
GOLDEN VALLEY DIST.

2498 AIRWAY AVENUE 2202 STOCKTON HILL 2498 AIRWAY AVENUE 3250 GATLIN DRIVE 201 N. 4TH STREET 3327 N. MAYER RD.

681-4129 753-3000 681-4129 718-4900 753-0723 565-3479

SHEET INDEX

XCRIPTION

THE NORTHEAST 1/4 OF THE SOUTHEAST 1/4, TOWNSHIIP 21 NORTH, RANCE 18 WEST, RIVER MERIDIAN, MOHAVE COUNTY, ARIZONA

STANLEY CONSULTANTS, INC. 5820 S. EASTERN AVENUE SUITE 200 LAS VEGAS, NEVADA 89119 (702) 369–9396 **ENGINEER / SURVEYOR**


RHODES HOMES ARIZONA LLC 2215 HUALAPAI MTN. RD. SUITE H KINGMAN, ARIZONA 86401 (928) 718–2210

DEVEL OPER

OWNER

SOUTH DAKOTA CONSERVANCY LLC 4730 S. FORT APACHE RD SUITE 300 LAS VEGAS, NEVADA 89147 (702) 873–5538

VICINITY MAP



COVER

1 OF XX SHEETS
SCI PROJECT!
18449,00,00

RHODES HOMES ARIZONA, LLC AZTEC ROAD INFRASTRUCTURE IMPROVEMENTS

COVER SHEET



SCALE (H) AS NOTED SCALE (V) NA DRAWN BY VND HECKED BY MPB DATE 04/11/05



Q:\18449\dwg\IMP-PLAN>y4ZTEC-ROAD\GENERAL SHEET\AZTEC-RD-GEN_SHEET.dwg, 12/1/2005 2:45:53 PM, 1:2.1526 DISCLAMEN NOTE
UTILITY LOCATIONS SHOWN
HERCON ARE APPROXIMATE
ONLY, IT SHALL BE THE
CONTRACTOR'S REPONSELITY
OF RETENENT THE EXACUTION
HORZONYM, AND HERCON, THE
CONTRACTOR'S REPONSELITY
ON REPORTEDING CONSTRUCTION
ON REPORSENTATION IS AND
THAT ALL EXSTRUCTION
ON REPORSENTATION IS AND
THAT ALL EXSTRUCTION
ON REPORTEDING FOR THE
ENGINEER ASSULES IN
ENGINEER ASSULES TO
SHOWN IN THER PROPER
LOCATION IN THERE
LOCATION IN THE LOCATION
LOCATION IN THE LOCATION
LOCATIO

1-800-782-5348 (1-80-5560-7)

had cutting underground with the Pa cents, Call before you are sac DIg

hei controd power the control of the

12. ALL REQUIRED TRAFFIC CONTROL DEVICES SHALL CONFORM TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD), LATEST EDITION, 9. THE CONTRACTOR SHALL FOLLOW ALL BLUE STAKE LAWS AND NOTIFY BLUE STAKE (1-800-STAKE-IT), BEFORE DICCING. 10. ALL GRADING SHALL CONFORM TO THE UNIFORM BUILDING CODE, AS ADOPTED AND MODIFIED BY MOHAVE COUNTY. WHERE SOU IS TO BE REMOVED FROM THE SITE, THE COMPILACION SHALL DESCRIATE THE CLARKEN THE STALL RE PLACES AND ORDING A LETTER FROM THE OWNER OF THE MARCHAEL THE PLACESHAY OF THE MARCHAEL BACKERY TO THE APPLICABLE REQUIREMENTS AND PERMITS OF THE CONCERNING JIRSDICTION. A FLOODELAM USE PERMIT AND PINISHED FLOOR ELEVATION CERTIFICATE ARE REQUIRED FOR ALL PARCELS LOCATED MINISH THE FEMA DESCNATED MREAS OF SPECIAL FLOOD HAZARD FOR THE 100—YEAR STORM. dramage wil remain in its natural state and wil not be altered , disturbed, or obstructed other than as shown on this development plan THE DIRECTORS ANY SUCCESSIONS, AND ASSIGNS, WILL HALD THE CONNEY OF WORKER, ETR CHIEFES, DATA PARTS, AND ASSIGNS, WILL HALD THE CONNEY AS SHOWN LECKLY, HOW ARE AN INFORMATION THE USE OF FLOCKING, DEPORT AS SHOWN HEREON, HOW AND HIS TURNED, BY REACHING OF FLOCKING, DEPORT AS SHOWN OF DAWLAGE CHIESED BY WATER, WHETHER SUPPLACE FLOOD OR FAURFALL. MPROVENENTS WIL NOT BE ACCEPTED UNTIL CERTIFED RECORD DRAWNOS (AS-BULTS), RACUDING ALL TEST RESULTS, HAVE BEEN SUBMITED AND ACCEPTED BY THE COMMY. ZIZEPT FOR DIE HORK PREYONED UNDER DIE TENAS OF A FRANCHSE. OR HORK PREPONED BY A CONERNIEDINA, ACENCY, THE COMTRACTOR SMALL BE RESPANSEEL OR HISLIANG DIAJ ALL MORA IS INSTRUCTED AND DIESTED BY OR UNDER DIE CORECT SUPERNSON OF A PROFESSIONAL DICHEER WHO SHALL HOLD A VALID RECISTRATION N° THE STATE OF ACIONAL any relocation, Modercation, ect., of Ensithe Utilities and/or public Moronements inecessiated by proposed development shall be at no Expense to the County, ALL WANHOLE FRAME AND COVER CRADE ADJUSTMENTS REQUIRED SHALL MEET THE REQUIREMENTS OF MAIG. STANDARD DETAIL NO. 422. SWER MAN PRE MID SERVICE SHALL BE P.V.C. SDR-YS, MEETING THE RECURSEMENTS OF A.S.T.M. 3034 AND MIG SECOND 745, RESTAULATION SHALL BE IN ACCORDANCE WITH A.S.T.M. STANDARD SPECIFICATIONS 02321 WHEN CAMES SCHARTON BELLUNG SERVE UND STANDARD COMPACTOR SHALL ACCURE & PANY FOR ALL NECESSARY PERMITS. COMPACTOR STANDARD COMP ALL EXISTING STREET PAREMENT DISTURBED BY CONSTRUCTION SHALL SE REPLACED IN ACCORDANCE WITH M.A.G. STANDARD DETAIL NO. 200 REQUIRED MANHOLES SHALL BE CONSTRUCTED PER M.A.G. STANDARD DETAIL NO. 420. TRENCHING AND BACKFIL SHALL WET THE REQUIREMENTS OF MAG. STANDARD SPECIFICATION OF SDI. COMPACTION DENSITES SHALL BE 95% FROM THE SURFACE TO 2' BELOW SURFACE.

ALL MANHOLES AND DROP START CONNECTIONS SHALL BE
CONSTRUCTION AS REQUERED BY MACK SECTION BEST. TOR MANHOLES
THAT HAME ME ELEVATION DROP BETWEEN HILEE AND
OUTLIET BETWEEN "A 2.55, TIOR SHALL HAVE A CONSTRUCTED MY THE
MANHOLE TROPE A CONNECTE THE FOOT SHALL HAVE A SLOPE AT
A HEMANIAL BOTH OF SHALL THE AS SLOPE AT
A HEMANIAL BOTH OF START OF MACK STANDARD DETAIL NO.4 8.

A HEMANIAL BOTH OF START OF MACK STANDARD DETAIL NO.4 8.

THE MANHOLE START OF THE MACK STANDARD DETAIL NO.4 8. SEWER CLEANOUT SHALL MEET THE RECUMEMENTS OF MAG. STANDARD DETAIL NO. 441. ALL SEMEN SERVICE CONNECTIONS SHALL MEET THE REQUIREMENTS MAKE, STANDLARD DETAIL NO, 440, TYPE A. HOTEL SEMEN SERVICE CHOSSING, OF WATER MAIN METHIN THE RIGHT OF WAY MAY REQUIRE PROTECTION PER MAG STD. DET. 404. IDIATY FACULTES, SHOWN OR NOT SHOWN OF COMPLICT WITH THIS WORK SHALL BE PREJOCATED BY THE CENSUAL COMPACTOR AS REQUIRED, THIS FACULTY SHALL BE COORDINATED WITH THE OWNER OF THE UTULTY TO PREVENT ANY UNKECCESSARY MIERRALPHON OF SERVICE. INNIAM DEPTH OF COVER TO THE TOP OF SEMER PIPE SHALL NOT BE SHAPING OF ALL SEMER MACHOLE BOTTOMS SHALL BE PER M.A.G. STANDARD SPECIFICATIONS NO. 825.3.1.

18. UTILITY FACULIES, SHOWN OR NOT SHOWN IN CONFLICT WITH THIS WORK SHALL BE RELOCATED BY THE CONFIDAL COMPRIGHTOR AS REQUIRED. THIS ACTIVITY SHALL BE CONGRAMATED WITH THE CHINERS OF THE UTILITY TO PRETICALLY ANY UNDECESSARY INTERPUENTION OF STRINGS.

IS. ALL PITINGS AND YALVES SHALL BE INSTALLED IN ACCORDANCE WITH THE LIMITING AND PACKET RECOMMENDATIONS. ALL VALVES ARE TO BE PLUMB AND HAVE STRAIGHT ALLONIDAY. 12 PAMBENT FOR CONSTRUCTION SHALL BE MUDE ON THE BASS OF UNIT PROCESSION OF CONTRACTORS STOPPOSAL ALL TIBLS COLLED FOR ON THE PLANS BUT NOT USITED AN BUT TIBLS SHALL BE CONSIDERED AND THE PLANS BUT THE TO THE WHITE THE BOOKERS BY THE WAS CONSIDERED AND THE BOOKERS BY THE WAS CONSIDERED AND THE BOOKERS BY THE THE BOOKERS BY THE THE BOOKERS BY THE THE BOOKERS BY THE 10. ALL THRUST BLOCKING FOR WATER LINES SHALL MEET THE REQUIREMENTS OF M.A.G. STANDARD DETAIL NO. 380. 14. WATER HETER COVERS SHALL HEET THE REQUIREMENTS OF HAG.
REQUIREMENTS OF HAG. STANDARD DETAIL NO. 320. 13. ALL TAPPING SLEEVES, VALVES AND VALVE BOXES ON WATERINES SHALL MEET THE REQUIREMENTS OF MAKE SPECIFICATIONS SECTION 630, AND MAKE STANDARD DETAIL NO. 340. ALL BLOOKING FOR WATER GATE VALVES SHALL WEET THE RECURREMENTS OF W.A.G. STANDARD DETAIL NO. 301. HATER HAIN SHALL BE TESTED IN ACCORDANCE WITH MAGE SECTION 810-14, AND IN ACCORDANCE WITH MAGE SECTION 610,14 FOR DUCTILE IRON PIPE. ALL PITTINGS FOR WATER MANS SHALL WEET THE REQUIREMENTS OF M.A.G. STANDARD SECTION 782. CONTRACTOR SMALL ACQUIRE & PAY FOR ALL NECESSARY PERMITS.
WATER WAIN SMALL BE PYC PIPE CLASS 150, WEETING THE
REQUIREMENTS OF A MINIA C-500). CURB STOP WITH PLUSHING PIPES SHALL BE CONSTRUCTED AS RECURRED BY MAGE STANDARD DETAIL NO. 350, TIPE A, AS AMENDED BY THE CITY OF KINGMAN. MATRY SEMBY SEPARATION SHALL MEET THE REQUESIONS OF MATRY SEMBY SEPARATION SHALL BE A MINIAUM OF 2' VERROLA AND 6' HORZONINAL.
RENORMO AND BLADFILL SHALL MEET THE REQUESIONTS OF MAG. STANDARD SECONDAION BOIL CHAPACTION EDISTRIES SHALL BE 93% FROM THE SURFACE TO 2' BELOW SURFACE. WATER LINES SHALL BE DISNIFECTED IN ACCORDANCE WITH ADE.O. ENCINEERING BULLETIN NO. 8. WATER SERVICE MATERIAL SHALL WEET THE REQUIREMENTS OF M.A.G. STANDARDS SPECIFICATIONS SECTION 755.

BE REPLACED IN ACCORDANCE WITH NLAG, STANDARD DETAIL NO, 200-1. 8. FOG SEAL SHALL MEET MAG. STANDARDS SECTION 333, 9. CONCRETE CURB AND GUITER SHALL MEET THE REQUIREMENTS OF MAG. STANDARD DETAIL 220. THE EXACT POINT OF MATCHING TROMANTION AND OVERLAY, IF NECESSIARY, SHALL BE DETERMINED BY THE FELD BY THE COUNTY ENCINEER OF MUTHORIZED REPRESENTATIVE. ALL POURED CONCRETE STRUCTURES SHALL MEET THE REQUIREMENTS OF MAKE, STD SPECIFICATIONS, SECTION 500. SDEWALKS SHALL BE CONSTRUCTED AS REQUIRED BY M.A.G. STANDARD DETAIL NO.230 & SHALL CONFORM WITH M.A.G. SPECIFICATION 340.

19. EXISTING STREET AND TRAFFIC SCAIS WILL BE MAINTAINED DURING OWSTRACTION AND RELOCATED BY THE CONTRACTOR AS DIRECTED BY THE PUBLIC WORKS DIRECTOR. 14, NO PANNIC CONSTRUCTION SHALL BE STAFTED UNTIL ALL UTILITY LINES ARE COMPACTED & APPROVED UNDER THIS PROPOSED FAND AREA.

15. BASE COMPACTED & APPROVED UNDER THIS PROPOSED FAND AREA.

15. BASE COMPACT SHALL NOT BE PLACED UNTIL SUBGRADE HAS BEEN APPROVED BY THE COUNTY ENGINEER. THE GENERAL CONTRACTOR SHALL BE REPONSIBLE FOR ALL NEW IRAFFIC CONTROL. SIGNS AND MARKINGS IN ACCORDANCE WITH THE LATEST EDITION OF THE MANUAL OF UNFORM TRAFFIC CONTROL DEVICES (MUTCD). Undity exclutes, shown or not shown in conflict with this work shall be relocated by the caperal contractor as reguled, thas activity shall be coordinated with the giverd of the utility to prevent any unnecessary enterruption of service. THE LOCATION OF ALL MATER YALYES, FIRE HYDRAHTS, AND MANHOLES MAST AT ALL HIMES DURING CONSTRUCTION HE RESPROYED BY THE CONTRACTOR AND MADE AVAILABLE TO THE COUNTY. AND JORYAKI RE CONSDERED COMPLETED UNIT. CURRS, PANCILLENTS
AND SURVIAKS, HAVE BERN SHEPT CLEAN OF ALL DRY AND DEBRIS;
AND SURVEY MONUMENTS ARE INSTALLED. THE PANYS CONTRACTOR SHALL BE RESPONSILE FOR THE ADJUSTMENT AND PLACEMENT OF COMPETE COLLARS, FRÂMES, CONFERS, AND VIALVE BORES AS JECTESSARY FOR A COMPLETE JOB AS APPROVED BY THE COUNTY ENGINEER.

THE LOCATION OF UTLINES SHOWN IS SASED UPON BEST
NECOMMENCE WAS USED THE LOCATION OF ALL ENSTING
THE COMPENCION SHALL YEAR'S THE LOCATION OF ALL ENSTING
UTLINES AND BIRDED CHARES PRIOR TO COMMENCIABITY OF ANY
CONSTRUCTION BY CLUME: ALL MORE SHALL BE DONE IN ACCORDANCE WITH THE "UNFOCKAL STANDARD SPECIFICATIONS FOR PUBLIC WARRIS CONSTRUCTION" AND "UNFOCKAL STANDARD DEFINES FOR PUBLIC WARRIS CONSTRUCTION" SPECIASED AND DISTRIBUTIO BY THE MACOCON ASSOCIATION OF CONCENIENTS (M.A.C.). AND IN ACCORDANCE WITH AREXED ALONSTRATINE CODE. TITLE 18, CHAPTER 9, TOCETHER WITH THESE PLANS. AT LEAST 2 MORROR DAYS IN ADVANCE THE CONTRACTOR SHALL COOPERATE WITH THE UNLITH COMPANIES IN PROTECTING AND WORKING AROUND THEIR UTLITIES & SERVEE LARGE.

THIS SET OF PANIS HAS BEEN REVERED FOR COMPLIANCE WITH COUNTY REQUESIONS FROM 10 SECURING CORE CONSTRUCTION PERMITS, HOREVER, SUCH REMEM SHALL HOT PREVENT THE COUNTY TRAIN REQUESION OF ERRORS OF BROKES HE PANIS FOUND TO BE IN VILLATION OF MY LAW OR CODMENCE, REVER AND APPROVAL OF PANIS DOES HOT RELEASE ANY DECEMBER OR DECEMBER FROM RESPONSIBILITY FOR ERRORS OR CHISSIONS ON SAID PLANS.

OFFICE NOTES

ALL WORK SHALL BE DOWN IN ACCORDANCE WITH MANAGE COMITY STADLARD SPECIFICATIONS AND STANDARD DETAILS, AND OTHER COMITY SAMPLING STANDARD, MILESS OTHERWISE APPROVED BY THE COMITY EMPOREDS OF UNESSAMPLY OF STANDARD STANDARD, AND THE BOARD OF SUPERWISHORS.

ZOWNING COMMISSION AND THE BOARD OF SUPERWISHING.

THE COMPRACTOR SHALL OBTAIN A RICHT-OF-MAY USE PERMIT FOR ANY MORK BE PERFORMED WITH THE RICHT-OF-MAY UNDER THE OWNERSHIP OR CONTROL WOHAVE COUNTY.

ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE "UNFORM STANDARD SPECIFICATIONS FOR PUBLIC WORKS CANSTRUCTION" AND "UNFORM STANDARD DEFAULS FOR PUBLIC WARKS CONSTRUCTION" SPANSORED AND DISTREBUTED BY THE MARIOCPA ASSOCIATION OF CONSTRUMENTS (M.A.C.), IN ACCORDANCE WITH ADLE, DIGHTERING BULLETH NO. 10, TOCKHER WITH THESE PLANS. AT LEAST 2 MORKING DAYS IN ADVANCE, THE CONTRACTOR SHALL COOPERATE MITH THE UTILITY COMPANES IN PROTECTING AND MORKING AROUND THER UTILITIES & SERVICE LINES. THE LOCATION OF HIBITES SHOWN IS BASED UPON BEST.

HETOMATION ANALYSEE THE LOCATION OF ALL ESSING

UILLINES AND BARBLE CHEEL CHARTON OF ALL ESSING

CONSTRUCTION BY CALLES. PRIOR TO COMMENCEMENT OF ANY

CONSTRUCTION BY CALLES.

1-800-\$TAKE.

THE CANDIAGN BY CALLING SHOWN IS BASED UPON BEST THE COMBINED WAS SHOWN AS SHOWN AS CANDIAGNATE THE COMBINED WITH SHOWN AS SHOWN AS SHOWN AS CANDIAGNATE THE COMBINED WITH SHOWN AS SHOWN AS CANDIAGNATE OF MAY COMBINED WITH SHOWN AS SHOWN

CONTRACTOR SAUL REPLACE ANY MADEQUATE SUBGRACE MATERIA, WITH JAPADOPIATE BACGIL AS DIRECTED BY THE PROJECT ENGINEER, ALL STREET ACCREGIATE BASS SHALL WEET THE REQUIREMENTS OF M.A.G. SECTION 310.

BUE STACE
ALLEST 2 MERGED DAYS N. DANACE, RE CONTRACTOR SHALL
COMPRAIT WITH MIS UITH COMPAGE M PROTECTING AND WORKING
AROUND THER HUTHINGS A STRICE LIFES M PROTECTING SHALL HET!
THE REQUIREMENTS OF MLAC. SHAPADOR DEFAU, MC 2001—1400 M.G.
STANDARD SPECIFICATION SCHOOL SMA, ALL TREMONES SHALL MEET
OSHA RECONSIDERING. ROUPHNY EXCHANDIN SHALL HEET THE RECORRENING OF HAG. SPECIFICATION 225 OR HATERING AND HAG. STRUNDHOUS SPECIFICATION STRUNDHOUS SPECIFICATION.

ALL ASPIALT CONCRETE PAKEUDIT SHALL WEET THE REQUIREMENTS OF W.A.C. STANDARD SECTION 321.

4. SEE LANDSCAPE PLANS FOR LANDSCAPING AND ONSITE IRRIGATION.

Contractor small yerfy all sie comptons and diaensons.

Small notey the engmeer of all discrepances prior to the Mengelent of Work.

TO ALL ELEVATIONS < 500° ON THESE DRAWNOS TO GET ACTUAL

ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE "INVERSE STANDARD STEEDER-ATTORS FOR PUBLIC WORKS CONSTRUCTION" AND "UNIFORM STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION" STONISAGED AND OSTREADED PER DE LURADOPA ASSOCIATION OF CONGENIENTS (M.A.C.). UNLESS CITEDWISE NOTED ON THE PLANS. SMALL BE 92% FROM THE SURFACE TO 2" BELOW SURFACE.

SOLFOR ALL WATER AND SWERT THEMSELS. COMPACTION DENSITES

REQUEREMENTS OF MAJO. SECONDATION SOLARD MAJO. SECONDATION

ALL DONSYLY REQUIREMENTS FOR STREETS SMALL WEET THE AMERICAN SOILS ENCINEEPENG, LLC 6000 S. EASTERN AME. STE 126 LAS VECAS, NY 89119 PHONE: 702 889-9617 FAX: 702 889-9614 DATED: SEPTEMBER 12, 2005 PROJECT NO: 1060-GEO

ALL CONSTRUCTION SHALL CONFORM SOILS REPORT PREPARED BY: SITE GRADING

TO ANSTRUCTOR AUSERS THAT IN ACCREMANCE WITH COMERALLY BUT ONSTRUCTOR PRICADES. THAT IN ACCREMANCE WITH COMERCIFICA WITH COME

TOP OF SLOPE /__0115/ 000 EX CURB & CUTTER स्टू नेड तह तह 8 ट 8 CURB & GUTTER - 2445 ---- NAJOR CONTOUR HOHAD - -- VILLAGE BOUNDARY RETAINING WALL - PERIMETER BLOCK W - EDGE OF PAYEMENT EX STREETUGHT EASEMENT UNE CULDESAC STATIONING BASE FLOOD ELEVATION PULL 80x DRIVEWAY EXISTING SIGNAL WITH EXISTING GRADE CONTOUR EXISTING STREET UGHT BOX 36" STOP SON MISCELL'AMEGUS SON STREET NAME SIGN UTIUTY POLE 250 WATT LUWINAIRE CENTER LINE HIGH POINT SWALE EXISTING GRADE EDGE OF PAYEMENT CENTER LINE GRAD FUTURE GRADE HOH PONT FLOW UNE FINISHED GRADE TOP OF CURB MINOR CONTOUR TOP BACK OF CURE FINISHED FLOOR ELEVATION
PAO ELEVATION BEGIN ĵoo 質 賞 NOTE: ALL ABBREVIATIONS SHOWN ON THIS LEGEND APPEAR ON THIS SET OF DRAWNOS. CYMDUAL SENSE BACKWATER VALVE

S SANTARY SENER MAN (PUBLC)

STENCE LATERAL W/A" WIE

STENCE LATERAL W/A" WIE

MOWOULL SENER MANNER VALVE

MOWOULL SENER BACKWATER VALVE TEE W/VALVE

3/4" WATER METER W/ 1" EXISTING FIRE HYDRANT PUBLIC) Ϋ́ õ

ဂု

RHODES HOMES ARIZONA, LLC **GOLDEN VALLEY RANCH**

AZTEC ROAD IMPROVEMENTS, PHASE 1 GENERAL NOTES, LEGENDS AND ABBREVIATIONS MOHAVE COUNTY




5820 S. Eastern Avenue, Suite 200 Las Vegas, Nevoda 89119 (702) 369-9396 Fax (702) 369-9793 www.stanleygroup.com

SCALE (H) NONE SCALE (V) NONE DRAWN BY VND CHECKED BY MPB DATE 07-15-05

RHODES HOMES ARIZONA, LLC
GOLDEN VALLEY RANCH

AZTEC ROAD IMPROVEMENTS, PHASE 1
TYPICAL STREET SECTIONS
MINISTREET SECTIONS
MINISTREET SECTIONS
ARIZONA

AZTEC ROAD IMPROVEMENTS, PHASE 1
TYPICAL STREET SECTIONS
MINISTREET SECTI




PRELIMINARY ISSUE FOR REVIEW NOT FOR CONSTRUCTION 10-18-05

RHODES HOMES ARIZONA, LL.C
GOLDEN VALLEY RANCH

AZTEC ROAD IMPROVEMENTS, PHASE 1
MISCELLANEOUS DETAILS



SCALE (H) NA SCALE (V) NA DRAWN BY VND CHECKED BY MPB DATE 07/15/05	mx ls.	Occurren	COMMON BY		DAN	OM. U.S.
---	--------	----------	-----------	--	-----	----------



MOHAVE COUNTY



RHODES HOMES ARIZONA, LLC AZTEC ROAD INFRASTRUCTURE IMPROVEMENTS


AZTEC ROAD IMPROVEMENTS, PHASE 1 HORIZONTAL CONTROL PLAN



5820 S. Eastern Avenue, Suite 200 Los Vegas, Nevada 89119 (702) 369-9396 Fax (702) 369-979, www.stanleygroup.com		
ncultante	╽	

SCALE (H) AS NOTED
SCALE (V) NA
DRAWN BY VND
CHECKED BY MPB
DATE 07/15/05







RHODES HOMES ARIZONA, LLC
GOLDEN VALLEY RANCH


AZTEC ROAD IMPROVEMENTS, PHASE 1
PLAN AND PROFILE
MOHAVE COUNTY


ARIZONA


















MOHAVE COUNTY





MOHAVE COUNTY






RHODES HOMES ARIZONA, LLC
GOLDEN VALLEY RANCH


AZTEC ROAD IMPROVEMENTS, PHASE 1
UTILITY PLAN AND PROFILE
MICHANE COUNTY

ARIZONA





SCALE (H) AS NOTED					<u> </u>
SCALE (V) NA					
DRAWN BY VND					
CHECKED BY MPB					
DATE 07/17/05	MX 140	DESCRIPTION 0	 APPROVING.	MAR .	







DATE 07/15/05









DATE 07/15/05

MOHAVE COUNTY

ARIZONA

